

Titan OTR Inflatable penile implant

3-pieces inflatable penile implant with hydrophilic coating and One Touch Release technology.

- OTR pump: one pressure on the deflation system is sufficient to deflate the cylinders.
- Pair of cylinders made of Bioflex®.
- Reduced risk of auto-inflation with lock-out™ valve on the reservoir.
- Hydrophilic coating.
- **Individually packaged (pairs)** • Sterile.

Titan OTR



Penile prosthesis

Length (cm)	14	16	18	20	22
REF. / Infrapubic	QSR814	QSR816	QSR818	QSR820	QSR822
REF. / Penoscrotal	QSR914	QSR916	QSR918	QSR920	QSR922



Titan OTR Narrow Base

For narrow corpora cavernosa.



Penile prosthesis

Length (cm)	10	12	14	16	18
REF. / Infrapubic	QNR810	QNR812	QNR814	QNR816	QNR818
REF. / Penoscrotal	QNR910	QNR912	QNR914	QNR916	QNR918



Titan OTR Zero Degree Inflatable penile implant

3-pieces inflatable penile implant with hydrophilic coating and One Touch Release technology.

- OTR pump: one pressure on the deflation system is sufficient to deflate the cylinders.
- Pair of cylinders made of Bioflex®.
- Reduced risk of auto-inflation with lock-out™ valve on the reservoir.
- Hydrophilic coating.
- Zero Degree angle input tubing.
- Silicone molded tip.
- Individually packaged (pairs) • Sterile.

Titan OTR Zero Degree



Penile prosthesis

Length (cm)	11	14	16	18	20	22
REF. / Penoscrotal	ESR911	ESR914	ESR916	ESR918	ESR920	ESR922



Titan Touch Inflatable penile implant

3-pieces inflatable penile implant with hydrophilic coating and deflate button pump design.

- Touch pump: one pressure on the deflation system is sufficient to deflate the cylinders.
- Pair of cylinders made of Bioflex®.
- Reduced risk of auto-inflation with lock-out™ valve on the reservoir.
- Hydrophilic coating.
- Zero Degree angle input tubing.
- Silicone molded tip.
- **Individually packaged (pairs)** • Sterile.

Titan Touch



Penile prosthesis

Length (cm)	16	18	20	22
REF. / Infrapubic	ES2816	ES2818	ES2820	ES2822
REF. / Penoscrotal	ES2916	ES2918	ES2920	ES2922

Titan Touch Narrow Base

For narrow corpora cavernosa.



Penile prosthesis

Length (cm)	11	14
REF. / Penoscrotal	EN2911	EN2914
REF. / Infrapubic	EN2811	EN2814



Reservoirs

- Bioflex material.
- Lock-out™ valve on the reservoir.
- Hydrophilic coating.

Titan Reservoir

With Lock-out anti-reflux valve



Reservoir contents	60 cc	75 cc	100 cc
REF.	QR8106	QR8107	QR8110

Cloverleaf Reservoir



Reservoir contents	75 cc	125 cc
REF.	ER8075	ER8125

XL Zero Degree Cylinders



Cylinders	24 cm	26 cm	28 cm
REF.	E17924	E17926	E17928

Pump to be connected

Pumps



Pumps	Titan OTR Pump	Titan Touch Pump
REF.	517780	517750

Assembly kits

Titan assembly kits

REF. / Standard	519170
-----------------	--------

Titan narrow base assembly kits

REF. / Narrow Base	519180
--------------------	--------

Titan Touch narrow base assembly kits

REF. / Narrow Base	519300
--------------------	--------

The Titan assembly kits contain :

- Connector sets (consisting of connector sleeves and connector cages)
- Rear tip extenders (locking)
- Keith needle
- 1 cylinder protector tool
- Blunt poly needles to fill the device
- Shod tubing.

Genesis Malleable penile implant

Malleable penile implant with hydrophilic coating.

- Kit includes:
 - One pair of cylinders.
 - 3 pairs of caps (standard, +0.5 cm and +1 cm).
- Hydrophilic coating.
- Individually packaged (pairs) • Sterile.



Diameter	Length cm		REF.
	mm	Min.	
9.5	14	23	519250
11	16	25	519260
13	18	27	519270

Ancillaries for penile prostheses Hooks & dilators

Gil-Vernet

REF. QB5556

Non sterile.

- Gil-Vernet retractor



Infant Deaver

REF. QB5557

Non sterile.

- Infant Deaver retractor



Furlow

REF. QB5555

Non sterile.

- Furlow insertion tool



Brooks

REF. QB5559

Non sterile.


- Brooks dilator



Rosselló Rasping Dilator

Non sterile.

REF. QB5558



Scott Retractor
Non sterile
Ref. QB2200*
Reusable Cantilevered retractor Stainless steel 27.5 cm x 18.4 cm 795 g with wrench

Retractor System without Frame		Retractor System with Frame	
Sterile • Single use		Sterile • Single use	
Ref. QB3321		Ref. QB3322	
6 - Retractor stays hooks 12mm, blunt tip	1 - Retractor stays hook 5mm, sharp tip	1 - Retractor frame	6 - Retractor stays hooks 12mm, blunt tip
2 - Retractor rake stays 20mm, 3 fingers	2 - Disposable deavers	1 - Retractor stays hook 5mm, sharp tip	2 - Retractor rake stays 20mm, 3 fingers
1 - Elevation sharp		2 - Disposable deavers	1 - Elevation sharp

Hooks for Retractor

Sterile.

	Ref. QB3311*	Sharp hooks	5 mm elastic sharp hook stays	8 units / package
	Ref. QB3312*	Blunt hooks	5 mm elastic blunt hook stays	8 units / package
	Ref. QB3313*	Blunt hooks	12 mm elastic blunt hook stays	8 units / package

*Available only in France.